GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – PR&RD Department - Allegations of irregularities in the work "CPWS Scheme to Allur and other habitations (Phase No.II), Nellore district" – Disciplinary proceedings initiated against Sri K. Kanakasimhan, the then Executive Engineer, RWS&S, Nellore and (3) others – Appointment of Sri R. Veerapratap, Chief Engineer, RWS&S, as Enquiry Officer and Superintending Engineer, RWS&S, Nellore as Presenting Officer, under Rule 20 of Andhra Pradesh Civil Services (CC&A) Rules, 1991 – Orders – Orders – Issued.

PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.II) DEPARTMENT

G.O.RT.No. 214 Dated: 03-03-2016

Read the following:

1. From the General Administration (V&E) Dept., Appraisal Report No. 08 (491/V&E/E2/2012), dated:17.07.2014.
2. G.O.Rt.Nos.427 to 430, PR&RD (Vig.II) Dept., dt:24.04.2015.
3. From Sri K. Kanakasimhan, the then EE, RWS&S, Nellore and now EE, RWS&S, Ananthapur, Written Statement of defence dt:21.05.2015.
4. From Smt. Ch. Sujatha Kumari, the then Superintendent, O/o. EE, RWS&S, Nellore and now working at RWS(P) Division, Podili, Written Statement of defence dt:28.05.2015.
5. From Sri B. Krishna Murthy, Superintendent, O/o. EE, RWS&S, Nellore and now retired, Written Statement of defence dt: nil.
6. Sri B. Sampada Rao, the then Executive Engineer, RWS&S, Nellore and now retired, Written Statement of Defence dt:2.7.2015.
7. From the Chief Engineer (Admn.), RWS&s, A.P., Hyderabad, Lr.No. Vig.(3)/RWS&S/3820/2015, dt:06.07.2015 & 16.11.2015.
8. G.O.Rt.No.212, PR&RD (Vig.II) Dept., dated:03-03-2016.

***

ORDER:

In the G.Os. 2nd read above, disciplinary proceedings were initiated against Sri K. Kanakasimhan, the then Executive Engineer, RWS&S, Nellore and now working as Executive Engineer, RWS&S, Ananthapur, Sri V. Sampada Rao, the then Executive Engineer, RWS&S, Nellore and now retired, Smt. Ch. Sujatha Kumari, the then Superintendent, RWS&S, Nellore, presently working as Superintendent, RWS&S (P) Division, Ongole; and Sri B. Krishna Murthy, the then Superintendent, RWS, Nellore (now retired), by framing charges under Rule-20 of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991, on the allegations irregularities in the work "CPWS Scheme to Allur and other habitations (Phase No.II), Nellore district". In response to the charges, all the (4) Charged Officers have submitted their written statements of defence.

2. Government, after examining the matter, have decided to conduct regular enquiry into the charges framed against the (4) Charged Officers viz., Sri K. Kanakasimhan, the then Executive Engineer, RWS&S, Nellore and now working as Executive Engineer, RWS&S, Ananthapur; Sri V. Sampada Rao, the then Executive Engineer, RWS&S, Nellore and now retired; Smt. Ch. Sujatha Kumari, the then Superintendent, RWS&S, Nellore, presently working as Superintendent, RWS&S (P) Division, Ongole and; Sri B. Krishna Murthy, the then Superintendent, RWS, Nellore (now retired), under Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991.

3. Accordingly, Government hereby appoint Sri R. Veerapratap, Chief Engineer, RWS&S, as Enquiry Officer under Rule 20(2) of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 to conduct enquiry against the (4) Charged Officers viz., Sri K. Kanakasimhan, the then Executive Engineer, RWS&S, Nellore and now working as Executive Engineer, RWS&S, Ananthapur, Sri V. Sampada Rao, the then Executive Engineer, RWS&S, Nellore and now retired, Smt. Ch. Sujatha Kumari, the then Superintendent, RWS&S, Nellore, presently working as Superintendent, RWS&S (P) Division, Ongole; and Sri B. Krishna Murthy, the then Superintendent, RWS, Nellore (now retired).

(p.t.o.)

4. Government also hereby appoint the Superintending Engineer, RWS&S, Nellore as Presenting Officer to present the case before the Enquiry Officer, under Rule 20(5)(c) of A.P. Civil Services (Classification, Control & Appeal) Rules, 1991, on behalf of the disciplinary authority.

5. The Presenting Officer shall acquaint himself with the facts of the case and present the case before the Enquiry Officer effectively. He is also requested to obtain and produce documents, if any, required by the Enquiry Officer, during the course of enquiry.

6. The Enquiry Officer is requested to conduct enquiry strictly in terms of Rule 20 of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 and submit his report as required under sub-rule 18(ii) of the above said rule, within three months. Copies of the Charge Memos issued to the Delinquent Officers and the Written Statements of Defence submitted by them are herewith furnished to the Enquiry Officer as required under Rule 20(7) of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

DR.K.S. JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT (PR&RWS)

To
The individuals concerned through the Engineer-in-Chief, Rural Water Supply & Sanitation, Andhra Pradesh, Hyderabad.
Sri R. Veerapratap, Chief Engineer, RWS&S, A.P., Hyderabad.
The Superintending Engineer, RWS&S, Nellore.
The Engineer-in-Chief, RWS&S, Andhra Pradesh, Hyderabad.
Copy to:
The General Administration (Vigilance & Enforcement) Department, Andhra Pradesh, BRKR Buildings, Hyderabad. (W.r.t. Appraisal Report No. 08 (491/V&E/E2/2012), dated:17.07.2014).
The Secretary to Vigilance Commissioner, Andhra Pradesh Vigilance Commission, Hyderabad.
Sf/Sc.

//FORWARDED BY ORDER//

SECTION OFFICER